




Front



Back

# Nacre®

**Product Number: BE03385-4-0-Q01-72**

## Specifications

**Mounting Options:**

Hole Mount

**Power/Data Configuration:**

4 Power / 0 Open Data\*

**Finish Options:**

Gloss Black

**Cord Option:**

72 Inches (Corded)

**Custom Insert:**

Molded White

## Standard Product Details

320 Byrne Industrial Drive • Rockford, Michigan • 49341  
Phone: 616.866.3461 • Fax: 616.866.3449 • <https://www.byrne.com/>

2/26/2021

Product Number: BE03385-4-0-Q01-72



Subtle. Or sophisticated. Maybe even snazzy. But always so stylish. From felt to color and pattern. Nacre's customizable top - trimmed with a high-gloss plastic finish - is all about creative expression. And just below the surface, Nacre pops up to reveal a dynamic range of power, data and USB configurations - including the 2 port, 2 AMP per port, USB duplex that allows users to charge tablets or other USB-friendly electronics. Nacre is a member of the MyPower family, bringing customizability to a new level. Nacre is UL listed and is available in 15 AMP cord.

Standard Features:

- High gloss plastic finish.
- In-surface orientation for clean aesthetics.
- Removable top surface that [can be customized](#) for both business and personal purposes.
- Available 2amp USB duplex (1amp per port) ideal for charging two tablets and other USB friendly electronics.
- Various configurations of power, data and USB.
- Available with Byrne spill-proof simplexes
- Configurations with four or more power receive a Circuit Breaker Cord
- To learn more, go to [mypower.byrne.com](http://mypower.byrne.com)

**Additional options are available. Don't see what you're looking for online? [Just give us a call.](#)**

**Have you heard about our Partner Platform? Click [here](#) to log in or sign up.**

To order this product please reference the above product number and contact Byrne Customer Relations at 616.866.3449 or visit our website: <https://www.byrne.com/>

*\*Data cables for open ports are sold separately. [Click here to purchase.](#)*

