# BYRNE

# **Ellora**®

# **OVERVIEW**


Ellora is a simple, yet stylish way to bring power and data up to the work surface. Patented with Spill Proof Technology®. With anodized aluminum constructions, Ellora's smart design keeps cable clutter out of sight by allowing use while the lid is shut.



\* Image shown: 2 Power, 1 Dual USB-C, and 1 USB-A+C with Black Anodized Aluminum, and Black Plastic.

# **SPECIFICATIONS**

### \* Images depict 6 window Ellora with 3 power and 3 open data.



# **CUT OUT DIMENSION**

WINDOWS	LENGTH	WIDTH
2 Windows	5"	5"
3 Windows	6-1/2"	5"
4 Windows	8"	5"
5 Windows	9-1/2"	5"
6 Windows	11"	5"
7 Windows	12-1/2"	5"
8 Windows	14"	5"

V0225 Page 1 of 3

# CUSTOMIZE BY SIZE

## POWER INFEED OPTIONS

CODES

Ellora offers from 2 to 8 windows on each side as shown below. Each window can be replaced by a variety of power or technology options.



#### **UL LISTED**

Corded
Hardwired
4-Trac interconnect
8-Trac interconnect

# UL RECOGNIZED & ETL LISTED

Interlink IQ 2.0 Interlink

#### **NEW YORK**

The Corded Ellora can be used in New York City, as per the New York City Electrical Code.

#### **CHICAGO**

The Corded Ellora can be used on Listed freestanding furnishings in Chicago. Limitations apply. The Hardwired Ellora must be used on all other furnishings in Chicago

## INTEGRATED TECHNOLOGIES

The power simplexes must be grouped together and installed at the **right end** of this product. Technologies requiring power must immediately follow.



#### **NON-POWERED**

Cat6, Cat6A, HDMI, DisplayPort, DVI, Mini DispalyPort, Stereo Jack, Belay, Passive USB, and Passive USB-C NOTE: Factory install only for DisplayPort and Mini DisplayPort



#### **POWERED**

USB A+C, USB-4C, Dual C+A, Dual USB-C 45W, USB-C 100W NOTE: Powered technologies do not transfer data




# POWER SIMPLEX

Tamper Resistant & Hospital Grade Available

#### ANODIZED ALUMINUM PLASTIC END CAPS INSIDE **HOUSING & GROMMET & WINDOW FRAMES FACEPLATE** Black Anodized Aluminum White Dusk Black Clear Anodized Aluminum Black Berry White Storm Peacock \* Black anodized aluminum is available with standard lead-time for 4, 5, and 6 ports. Other sizes may experience extended lead-times. Fog Dune Honey Rosemary Navy Moss Clay Poppy Pinecone

# FINISH AREAS



## ORDERING INFORMATION

Available configurations may vary based on partnership level. For a list of options currently available to order, please visit our partner portal, <u>youmakebyrne.com</u>. Can't find what you're looking for? Additional configurations may be available depending on application. Contact your Byrne Representative for more information.